

Historic Preservation Agenda
January 14, 2020
Reedsburg City Hall Council Chambers
5:00 PM

NOTICE IS HEREBY GIVEN THAT A MAJORITY OF THE MEMBERS OF THE COMMON COUNCIL MAY ATTEND THIS MEETING TO GATHER INFORMATION ABOUT A SUBJECT OVER WHICH THE COMMON COUNCIL HAS DECISION-MAKING AUTHORITY. IF A QUORUM OF THE COMMON COUNCIL ATTENDS THIS MEETING, NO ACTION WILL BE TAKEN BY THE COMMON COUNCIL AT THIS MEETING.

CALL TO ORDER

APPROVAL OF MINUTES

I. APPROVE MINUTES FOR THE MEETING HELD ON DECEMBER 10, 2019:

THE COMMITTEE WILL RECEIVE INFORMATION ON NON-AGENDA TOPICS BROUGHT BEFORE THE COMMITTEE BY MEMBERS OF THE PUBLIC. THE COMMITTEE WILL NOT DISCUSS THESE TOPICS, AND WILL NOT TAKE ACTION ON ANY OF THEM AT THIS MEETING

I. GENERAL BUSINESS:

- A. Consider 2020 WAHPC membership renewal.
- B. Consider 2020 Historic Bus Tour.
- C. Consider donated historical items and history room.
- D. Consider local video history segments.

II. ADJOURN:



The City of Reedsburg does not discriminate on the basis of disability in the admissions or access to, or treatment of or employment in, its programs or activities. Disability-related aids or services, including printed information in alternate formats, to enable persons with disabilities to participate in public meetings and programs are available by calling (608) 524-6404. To be able to meet the needs of a request for a different format contact the City Clerk-Treasurer at 134 S. Locust Street, Reedsburg, WI at least 48 hours prior to the commencement of the meeting so that any necessary arrangements can be made to accommodate each request.



HISTORIC PRESERVATION COMMISSION MINUTES

Reedsburg, WI
December 10, 2019

Alder Jason Schulte called the meeting of the Historic Preservation Commission to order on Tuesday, December 10, 2019, at 5:15 PM at Reedsburg City Hall.

Present: Orris Smith, Lee Gnatzig, Shannon Waiss

Absent: Jeannine Mueller, Monica Liegel

Staff: Brian Duvalle

Approval of Minutes

Motion by Smith, seconded by Gnatzig to approve the 11/12/19 minutes.

Motion approved

Discuss 2020 Historic Bus Tour.

Smith stated that he had sent out a list a few weeks ago with ideas. He will start again in January.

Consider donated historical items and history room.

Discussion was held on cleaning, painting, and sanding. The City Hall custodian may have more time over the winter to address the cleaning and painting. Schulte would like to obtain bids on the track lighting.

Consider local television/film history segments.

The American Legion video is now posted on the Sauk County Historical Society website.
Discussion held on future videos.

Motion by Smith, seconded by Gnatzig to adjourn at 5:45 PM.

Motion approved

Respectfully submitted,

Brian Duvalle
Planner/Building Inspector

ATTN: Brian
Date: 12/20/2019

524 S. Albert Av.
P.O. Box 98
Reedsburg, WI 53959-0098
PH: (608) 524-4232
Fax: (608) 524-8594
E-mail: servelec@rucsl.net

Service Electric of Reedsburg II, Inc.

Submitted to: City of Reedsburg	Phone: 608-768-3354
Address: 134 S. Locust St.	Job name: Historical Room
City, state, and zip code: Reedsburg, Wi. 53959	Job location: Lower level

This price is for furnishing and installing electrical in the historical room. The installation will consist of the following:

- Surface mounted conduit with new conductors from existing panel in the mechanical room of the basement.
- New 20amp breaker to supply receptacles.
- 4-6) new receptacles mounted on the surface.
- 2) New 4' pendant mount LED track light fixtures, Replacing existing 4' fixtures.

Material & Fixtures:	\$872.00
Labor:	\$468.00
Total:	\$1,340.00

Authorized Signature:
Jeremy J. Krayner




Acceptance Signature:

Date:

This proposal may be withdrawn by us if not accepted within 30 days.

LP02 . LP04 . LP06 . LP08 . LP12 - 1 CCT TRACK CHANNEL TRACK ACCESSORIES - SINGLE CIRCUIT



Supplied w/ (1) LP930 End Cap.



SPECIFICATION

Application: Extruded aluminum track with 20-Amp rated flat, solid copper conductors. Provides for mounting and power to adjustable track heads. Light fixtures can be positioned without any needs for tools. Compatible with most H-type track lighting heads.

Electrical: Single circuit: 2400 watts.

Safety Labels: Dry Location Only.

Length: Available in 12' Channel, 2' Channel, 4' Channel, 6' Channel and 8' Channel***.

Finish: Available in White***, Bright White, Black and Natural Metal**.

Label: UL Listed, cETL Listed

COMPATIBILITY

 LP943 L-CONNECTOR	 LP989 CONDUIT CONTINUATION KIT	 LP931 LIVE END W/ CANOPY
 LP917 SLOPE CEILING TRACK ADAPTER	 LP983 T-BAR CLIP	 LP930 END CAP
 LP949 MINI CONNECTOR	 LP950 CORD & PLUG CONNECTOR	 LP957 PENDANT ADAPTER
 LP946 X-CONNECTOR	 LP980 CONDUIT CONNECTOR	 LP0 PENDANT ASSEMBLY KIT
 LTD50 17W/25W COB ECOTRACK LED	 LP902 FLEXIBLE CONNECTOR	 LP9 LINE VOLTAGE EXTENSION WAND

Please see website for more compatible items.

FEATURE:




ORDERING EXAMPLE : LP06B

LP	LENGTH	FINISH
LP	02 :2' Channel	W :White***
04	:4' Channel	W-2 :Bright White
06	:6' Channel	B :Black
08	:8' Channel***	N :Natural Metal**
12	:12' Channel	

*
**Not available for 12'
***8' Section Not Available in White, Only Bright White, Black and Natural Metal

ID# : 700

LTD8310 - 12W 1000LM LED CYLINDER (GEN2) LED TRACK HEAD



SPECIFICATION

120V 12W

Application: Architecturally styled Cylinder LED track head features a durable steel body and futuristic alloy heat sink. It's small, unobtrusive size make it ideal for retail, commercial and residential applications requiring stylish design and true MR16 performance.

Connector: LITON track fixtures come standard with 3-Wire H-Type track connections. Fixture is factory preset for installation on single-circuit track. J-Type and L-Type connections are available with extended lead times - consult factory.

Aiming Mechanism: Unobtrusive internal aiming mechanism allows maximum adjustability while rigidly maintaining desired positioning.

Driver: Electronic Constant Current driver integrally mounted in fixture casing.

Dimming: Works with standard incandescent dimmers and ELV Dimmers. Factory qualified for use with Luton brand dimmers: S600PR, DVSCCL-153P & DV600PR as well as Leviton IP106-600W.

Lumen Maintenance: Minimum 35,000 hours L70 life based on ANSI TM-21 calculations from LM80 standardized test results.

Thermal Management: Effective thermal dissipation facilitated by integral aluminum heat sink for maximum heat rejection to provide long LED life.

Safety Labels: ETL/CETL listed. Suitable for dry locations only.

Warranty: Covered by a 5 Year Warranty to be free of defects in materials and craftsmanship. Recommended for applications where ambient temperatures do not exceed 35°C, installations exceeding this temperature will result in reduced LED lamp life and a voided warranty.

Finish: Available in All Black and All White.

Beam Spread: Available in Flood, Spot and Narrow Flood.

Color Temperature: Available in 2700K (90 CRI), 3000K (90 CRI), 3500K (90 CRI) and 4000K (80 CRI).

COMPATIBILITY

 LP913 LINE VOLTAGE ROUND CANOPY	 LP971 LINE VOLTAGE SQUARE CANOPY	 PT57 PLUG-IN CLAMP ADAPTER
 PT58 LINE VOLTAGE CLAMP ADAPTER	 LP 1 CCT TRACK CHANNEL	 LPC 2 CCT TRACK CHANNEL

Note: Wattage limitations on compatible items must be met.

LED Details:

12W 1,000 Lumens Delivered
Color Rendering Index (CRI): 90
Color Temperature: 3,000K
Lamp Equivalents: 75W MR16 FL

Benefit:

- High Quality 80 & 90 CRI
- Sleek Unabtrusive Design
- Concealed heat sink and LED driver
- For use with standard H-Style 1 circuit and 2 circuit track
- Precision design ensures firm positioning
- Highly adjustable, 355° Rotation/0°-90° Gimbal
- "Zero Percent Dimming Standard" Smoothly Dims to completely off with Standard Incandescent Dimmers
- Standard with 2-Wire Incandescent Dimmers and 3-Wire ELV Dimmers.

FEATURE:



ORDERING EXAMPLE : LTD8310W-B25-T27

LTD8310	FINISH	DIMMING	BEAM SPREAD	COLOR TEMPERATURE
LTD8310	B :All Black	Blank :120V 2-Wire/Incandescent/ELV Dimming	Blank :40° Flood	-T27 :2700K (90 CRI)
	W :All White		-B15 :15° Spot	-T30 :3000K (90 CRI)
			-B25 :25° Narrow Flood	-T35 :3500K (90 CRI)
				-T40 :4000K (80 CRI)